

Rubber-Like Urethanes

Properties	Test Method	Rubber-Like	Santoprene Like	Santoprene Like	Hard Rubber Like
Shore Hardness Range ¹	ASTM D-2240	15 A	42 A	70 A	90 A
Color ²	Visual	Light Amber	Yellow Transparent	Yellow Translucent	Buff Translucent
Elongation at Break %	ASTM D-638	850	1080	315	425
Tensile Strength psi	ASTM D-412	240	735	940	2,800
Tear Strength Pli	ASTM D-638	25	65	87	320

1. Other Shore A hardness materials are available. Please call us to discuss your needs.
2. Water Clear materials are available in Shore A Hardenss 65, 70 & 80

Accelerating Time-to-Market

Phone: 805.485.7234
www.rapid-products.com
Info@rapid-products.com